REMARKS/ARGUMENTS

This amendment is in response to the Office Action mailed on April 28, 2004, wherein Claims 1-14 were rejected.

Claim Rejections Under 35 U.S.C § 102 and 103

In the Final Office Action, Claims 1-14 were rejected under 35 U.S.C § 103 as being anticipated by Taguchi in view of Stockhauser and/or Yamanaka. Applicants have filed a Rule 1.131 affidavit eliminating the obviousness rejection based on the Stockhauser reference. Taguchi and Yamanaka are silent with respect to preventing air flow through a cylinder in a variable displacement engine. Taguchi tangentially discloses the cut off of fuel delivery to a cylinder, in column 1, lines 10-15 and Yamanaka tangentially discloses changing which cylinders are injected with fuel, in column 1, lines 35-40. Taguchi and Yamanaka, singly or in combination, do not teach or suggest the present claimed invention.

If the Examiner relies on personal knowledge that the apparatus of the present invention is obvious, Applicants respectfully request support for this assertion in the form of an affidavit that shall be subject to contradiction or explanation by the affidavits of the Applicant and other persons under 37 C.F.R. 1.104 (d)(2).

Conclusion

The entire Office Action dated April 28, 2004 has been carefully reviewed, and this response is submitted as being fully responsive thereto. In view of the preceding remarks, Applicants respectfully submit that Claims 1-14 are in condition for allowance and respectfully request such action at the Examiner's earliest convenience. If the Examiner believes that personal contact would be advantageous to the disposition of this case, he is requested to call the undersigned at his earliest convenience.

Serial No. 09/845,120 Page 3

If for some reason a fee needs to be paid, as well as one-month extension fee please charge Deposit Account No. 07-0960 for the fees, which may be due.

Respectfully submitted,

Christopher DeVries - Attorney

Reg. No. 44,654

Telephone: 313-665-4969

CD: sh

Enclosures

Serial No. 09/845,120 (Attorney Docket No. GP-300996)

Filed April 30, 2001

Gregory P. Matthews Charles H. Folkerts

Group 3747

METHOD AND APPARATUS FOR OBTAINING A CONSISTENT PEDAL POSITION FOR A VEHICLE HAVING DISPLACEMENT ON DEMAND

Examiner Stuart Carl Miller

AFFIDAVIT UNDER 37 CFR 1.131

Commissioner for Patents PO Box 1450 Alexandria VA 22313-1450

Gregory P. Matthews, being duly sworn, deposes and says:

Charles H. Folkerts, being duly sworn, deposes and says:

- 1. I am an inventor of claims 1-14 of the patent application identified above and an inventor of the subject matter described and claimed therein.
- 2. Prior to November 20, 2000, having earlier conceived of the idea for the claimed invention "Method and apparatus for obtaining a consistent pedal position for a vehicle having an engine with displacement on demand," and with due diligence, I reduced the invention in the United States as evidenced by the attached invention disclosure form and documentation. The dates have been reducted from the invention disclosure and documentation.

3. That all statements made above of my own knowledge are believed to be true.

Dregory P. Matthews
Gregory P. Matthews
Unacles V. Folkerts

Charles H. Folkerts


Subscribed and sworn to before me this 6th day of August, 2004

Stephen R. Kamblum

General Motors Corporation Legal Staff 300 Renaissance Center Mail Code 482-C23-B21 PO Box 300 Detroit MI 48265-3000

Attachment

STEPHEN R. KORNBLUM NOTARY PUBLIC OAKLAND CO., MI MY COMMISSION EXPIRES Apr 4, 2007 CONFIDENTIAL AND PRIVILEGEI







File No.

GP-300996 DTE 2000 97

RECORD OF INVENTION

This Record of Invention must be completed with sufficient detail so that your invention can be understood and evaluated by both your engineering management and by a GM Legal Staff patent attorney. Novelty and competitive significance of your invention will be evaluated based on the information you provide.

Invention Title	e: Method for displaceme	obtaining a cor	sistent pedal-pos	ition to vehicle	response for engir	nes with variable
Inventor #1 Name: Gregory	,	P ,	Matthews		Citizen of: USA	
	First Name	Middle Initial	Last Nan	ne		
Social Security No). (1)	<u> </u>	GM Employee:	Yes No	🛭 Salary 🔲 Hou	rly Contract
Home Address:	6021 Beachwood	Dr.	West I	Bloomfield, MI		48324
		Street		City and	d State	Zip Code
GM Unit: GM I	Powertrain			GM Phone No.	(8)-341-4413	(248) 685-4413
					Centrex Number	(Area Code) + Numbe
M Address:	3300 General Mot	ors Road	Mail Code:	483-331-500	FAX Number:	(8)-341-1808
						Centrex Number
on-GM Employe	r:				Phone No.	
ion-GM Employe	r Address:	Stree	et	Cit	y and State	(Area Code) + Numbe
Inventor #2*			·			
ame: Charles		<u>H</u>	Folkerts		Citizen of: USA	
ocial Security No.	First Name	Middle Initial	Last Name GM Employee:	e ⊠Yes □No	Salary ☐ Hour	ly Contract
ome Address: 4290 Washington Crescent Dr.		Troy, MI			48098	
		Street		City and	State	Zip Code
M Unit: GM P	owertrain			GM Phone No.	(8)-341-5896	(248) 685-5896
	<u></u>				Centrex Number	(Area Code) + Number
M Address:	3300 General Moto	rs Road	Mail Code:	483-331-500	FAX Number:	(8)-341-1808
on-GM Employer		ECEIVE			Phone No.	Centrex Number
on-GM Employer	Address:	AL MOTORS CORPO	PRATION			(Area Code) + Number
	:			City	and State	Zip Code
* If there are my	· 					

* If there are more than two (2) inventors for this invention use use template at the end of this form.

LEGAL STAFF

Rev. 5/00

Answer questions 1 - 8, completing all of them to the best of your knowledge.

1.	This invention was first thought of on:
2.	This invention has been or is expected to be disclosed outside GM on: In all deac vehicles as of
3.	This invention has been used or is committed to be used in production on:
4.	This invention has been offered for sale outside GM on:
5.	Was this invention made while working on a Government Contract? Yes No
	If yes, identify the government Contract No.
6.	Identify the product or process in which the invention is incorporated:
7.	List all individuals who can provide information about the making of the invention. This list may include individuals who made the first sketch, description, or tests and individuals who are familiar with the facts relating to the making of the invention. Jeff Allen, Allen Rayl, and Alex Roberts

Rev. 5/00

File Number:


Answer question 9 thoroughly.

Describe the invention in sufficient detail so that its nature, operation and usefulness can be understood.
 (Attach drawings, diagrams and further description, when necessary. Additional guidelines are listed below.)

Displacement on Demand (DOD) engines have the ability to run on either all cylinders, or on half of the cylinders to save fuel, if there is sufficient torque available. When the engine runs on half of the cylinders, the throttle position relates to vehicle performance differently from when the engine runs on all cylinders. This invention converts pedal position to the appropriate throttle position commands such that the engine torque produced is independent of the number of cylinders running. This allows smooth and consistent power delivery to the vehicle.

The following algorithm controls the acceleration pedal to vehicle response characteristics for DOD engines. This algorithm is easy to calibrate. It consists of seven elements, which are shown in figure 1.

- 1 A reference torque model: based on the full engine displacement, an engine torque map is developed which determines the amount of torque that the driver is requesting
- 2 A function which converts the desired engine torque to a desired mass of air per cylinder (MAC).
- 3 A function which converts the desired engine torque to the nominal required throttle position, which would nominally result in the desired MAC as computed in 2 above..
- 4 A cylinder mass air (MAC) servo, which operates in a closed-loop mode to insure that the requested mass of air per cylinder is achieved. Since under nominal conditions torque is proportional to the mass of air inducted into the engine, this component assures that the desired torque is achieved. Thus, the MAC servo determines a throttle position correction necessary to achieve the desired MAC. This throttle position correction component compensates for vehicle-to-vehicle differences, throttle wear, and other variations in the throttle flow characteristics.
- 5 A summer to add the throttle position corrections to the nominal required throttle position.
- 6 PCM software which controls all other functions of the engine and transmission.
- 7 The engine under control.



Answer the following questions if helpful in describing this Invention

10.	What benefits	will be	realized by	using	this	invention?
-----	---------------	---------	-------------	-------	------	------------

This invention provides a simple, yet effective, method of allowing the driver to obtain the same pleasing driving response independent of the number of cylinders actually being used. When the engine operates on all cylinders the vehicle performs as well as a conventional vehicle. However, if there is enough engine torque available to provide the same pleasing driveability when operating on less than the full number of cylinders the engine can operated on less cylinders. This invention allows

	rapid calibration so that the vehicle will perform as well on less cylinders as long as the requested engine torque is available. This will significantly reduce development cost, improve driver perceived quality when operating on less than all cylinders. It will act as if it were running on all cylinders, as long as the reduced number of cylinders can produce sufficient power.
11.	What is the state of development of this invention?
	The algorithm is nearing the end of phase 00 and production software specifications are being written. Production code should be complete before the end of the
2.	To the extent known, what alternatives exist for accomplishing substantially the same result as this invention? Two complete sets of throttle progression functions could provide the same result when operating in either V8 or V4 mode. With proper calibration it might even be possible to make a smooth transition between 4 and 8 cylinder operation at a given pedal position. However, this method is much more difficult to calibrate and is not robust to variations between vehicles, unless a MAC servo was implimented.
3.	Describe the background of the invention. This description may include the state of the prior art and may identify deficience in the prior art that are overcome by this invention.

Existing throttle control logic typically uses a mapping between pedal and throttle position, which is selected to achieve the desired driving feel. For this invention we would map the pedal to engine torque and then to throttle position. The two step process allows us to select different throttle positions for the same pedal position depending on the number of cylinders, which are being used. The throttle position would be different but the engine would generate the same amount of torque, thus giving the driver the same feel, independent of the number of cylinders being used.

lev. 5/00	File Number:	5 of 6

I hereby a general motors of this invention to General Motors of poration and authorize General Motors Corporation to file an application on my behalf.

Gregory P. Marther	Gregory P. Matthews	,
INVENTOR - SIGNATURE	(ALSO, PRINT NAME)	-
Charles 71. Folkert	Charles H. Folkerts	
INVENTOR – SIGNATURE	(ALSO, PRINT NAME)	DATE
INVENTOR - SIGNATURE		·
LIVENTOR - SIGNATURE	(ALSO, PRINT NAME)	DATE
This invention was reviewed and understood	by me:	
Douglas J Bobock	Douglas J, Babcock (ALSO PRINT NAME)	
1" WIYNESS = SIGNATURE	$\mathcal{O}_{(\mathrm{ALSO\ PRINT\ NAME)}}$	DATE
and xxxxxxx	Sharon Liu	
2 nd WITNESS - SICNATURE	(ALSO, PRINT NAME)	DATE



LEGAL STAFF

Rev. 5/00

File Number: